## SEARCH REQUEST FORM

## Scientific and Technical Information Center

Requester's Full Name: WILL  Art Unit: _/754 Phone  Mail Box and Bldg/Room Location	(Am SWR) FA Number 30 5 - 7 on: <u>AP3 - 9A15</u> 1	Examiner # : 62(00) 792 Serial Number: 09/ Results Format Preferred (circle)	Date: 8/4/03 27,617 : PAPER DISK E-MAII	
If more than one search is submitted, please prioritize searches in order of need.  **********************************				
known. Please attach a copy of the cove  Title of Invention:	r sheet, pertinent claims,	and abstract.		
Inventors (please provide full names):	Joseph )	Ayach and T	Lomas Hewit	
Earliest Priority Filing Date:				
*For Sequence Searches Only* Please incl appropriate serial number.	ude all pertinent informat	ion (parent, child, divisional, or issued p	atent numbers) along with the	
		N. C.	:	
		r	# *#	
		• • • • • • • • • • • • • • • • • • • •		
er t				
and the second of the second o			**************************************	
		·		
STAFF USE ONLY Searcher:	**************************************	Vendors and cost wh	• •	
Searcher Phone #:  Searcher Location:  Date Searcher Picked Up:  Date Completed: 8-8-03	AA Sequence (#)  Structure (#)  Bibliographic  Litigation	Dialog		
Searcher Prep & Review Time:	Patent Family Other	Sequence Systems  WWW/Internet  Other (specify)		

PTO-1590 (8-01)



## **End of Result Set**

Generate Collection Print

L8: Entry 1 of 1

File: DWPI

Oct 31, 1990

DERWENT-ACC-NO: 1990-336056

DERWENT-WEEK: 199045

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Supported gold catalyst - for low temp. oxidn. of carbon mon:oxide

INVENTOR: FLAKE, H; STRAUSS, G; FALKE, H

PATENT-ASSIGNEE:

ASSIGNEE
GUTEC GES ENTWICKL
SOLVAY CATALYSTS GMBH

CODE GUTEN SOLV

PRIORITY-DATA: 1989DE-3914294 (April 29, 1989)

PATENT-FAMILY:

PUB-NO PUB-DATE October 31, 1990 DE 3914294 A September 16, 1993 DE 59002254 G EP 395856 A November 7, 1990 August 11, 1993 EP 395856 B1 December 16, 1993 ES 2043146 T3 December 17, 1990 JP 02303539 A US 5068217 A November 26, 1991

G PAGES
000
000
000
000
000
000
000
000

MAÍN-IPC B01D053/36 B01D053/36 B01D053/36

000

DESIGNATED-STATES: AT BE CH DE ES FR GB IT LI NL SE AT BE CH DE DK ES FR GB IT LI NL SE

CITED-DOCUMENTS:1.Jnl.Ref; EP 147839 ; FR 2530160 ; FR 906299 ; US 4698324 ; US 4839327

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
DE 3914294A	April 29, 1989	1989DE-3914294	
DE 59002254G	March 9, 1990	1990DE-0502254	
DE 59002254G	March 9, 1990	1990EP-0104477	
DE 59002254G		EP 395856	Based on
EP 395856A	March 9, 1990	1990EP-0104477	
EP 395856B1	March 9, 1990	1990EP-0104477	
ES 2043146T3	March 9, 1990	1990EP-0104477	
ES 2043146T3		EP 395856	Based on
JP 02303539A	April 27, 1990	1990JP-0110729	
US 5068217A	April 9, 1990	1990US-0506345	

INT-CL (IPC): A62B 29/00; B01D 53/36; B01J 23/89; C04B 41/88; C10K 3/04

ABSTRACTED-PUB-NO: DE 3914294A

BASIC-ABSTRACT:

(A) Prodn. of a supported catalyst, for CO oxidn. at below 50 deg.C, involves subjecting a Fe2O3-contg. porous ceramic support to impregnation with a gold cpd. soln. or coating with a gold cpd. suspension opt. drying and then calcination at at least 200 deg.C, the amt. of gold cpd. applied to the support being such that the gold content, based on total wt. of finished supported catalyst is 0.01-15 (pref. 0.05-4 esp. 0.1-1) wt.%. (B) Also claimed are (i) a supported catalyst obtd. by the process, and (ii) catalytic CO oxidn. at below 50 deg.C by passing a gas mixt. contg. CO and O2 over a supported catalyst made by the process.

ADVANTAGE - The supported catalyst is effective at low temps. and in the presence of moisture, is easy to handle, makes economical use of gold and is simple to produce. @(6pp)in
ABSTRACTED-PUB-NO:

EP 395856B EQUIVALENT-ABSTRACTS:

Process for the production of carrier catalysts for the oxidation of CO at temperatures below 50 deg.C, characterised in that a porous ceramic carrier material containing Fe2O3 (a) is impregnated with a solution of a gold compound or is coated with the suspension of a gold compound and is additionally impregnated with a solution of an iron compound or is coated with the suspension of an iron compound and is then dried if desired and (b) the carrier material containing a gold compound is calcined at a temperature of at least 200 deg.C, with the proviso that the gold compound is applied to the material in such a quantity that the content of gold, relative to the total weight of the finished carrier catalyst, is between 0.01 percent by weight, preferably between 0.05 and 4, in particular between 0.1 and 1 percent by weight.

US 5068217A

A process for producing a carrier catalyst for oxidising carbon monoxide at temps. below 50 deg.C is new and comprises the steps (a), (b) and (c). (a) is providing a porous ceramic carrier material contg. Fe2O3. (b) is impregnating carrier material with a soln. of a gold and a soln. of iron cpd., (c) is calcining the impregnated carrier material contg.

the Ag and Fe cpd. at a temp. of at least 200 deg.C. The gold cpd. is applied to the carrier material in such an amt. that the gold content is 0.01-15 (pref. 0.01-1) wt.% relative to the total wt. of the calcined carrier catalyst. USE/ADVANTAGE - The catalyst is effective at low temps. even in the presence of moisture and are easy to handle and to produce.

(6pp)

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: SUPPORT GOLD CATALYST LOW TEMPERATURE OXIDATION CARBON MONO OXIDE

DERWENT-CLASS: E36 J04 P35

CPI-CODES: E35-B; E35-U05; J01-E02D; J04-E04; N02-A; N02-E;

CHEMICAL-CODES:

Chemical Indexing M3 \*01\*
 Fragmentation Code
 C106 C108 C550 C730 C800 C801 C802 C803 C805 C807
 M411 M750 M903 M904 M910 N163 Q020 Q431 Q436 Q439
 Specfic Compounds
 01423X
 Registry Numbers
 1327U 0502U

Chemical Indexing M3 \*02\*
Fragmentation Code
. A426 A940 C108 C307 C510 C730 C801 C802 C803 C804

C807 M411 M730 M782 M903 M904 M910 Q020 Q421 Q431 Q436 Q439 Q508 Specfic Compounds 01918C 01918M 03294C 03294M Registry Numbers 1327U 0502U

Chemical Indexing M3 \*03\*
 Fragmentation Code
 A679 A940 A980 C017 C100 C101 C730 C801 C804 C805
 C806 C807 M411 M730 M782 M903 M904 Q020 Q421 Q431
 Q436 Q439 Q508
 Specfic Compounds
 10048C 10048M 13734C 13734M
 Registry Numbers
 1327U 0502U

## UNLINKED-DERWENT-REGISTRY-NUMBERS: 1423U; 1779S; 1918U

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1990-145831 Non-CPI Secondary Accession Numbers: N1990-257011



DATE: Monday, August 04, 2003

Set Name Ouery side by side			et Name result set
DB = U	SPT,PGPB,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ		
L8	L6 and L7	181	L8
L7	CO.u/c. or carbon monoxide	2739008	L7 .
L6	L4 and L5	253	L6
L5	iron or fe or ferric or ferrous	514811	L5
L4	L1 and L2 and L3	440	L4
L3	gold or au or auric or aurous	4087802	L3
L2	((518/713 )!.CCLS.  (502/330  502/344 )!.CCLS.  (423/247  423/245.3 )!.CCLS. )	2751	L2
L1	catalyst or initiator	470855	L1

END OF SEARCH HISTORY

	Droblem Analysis and S	Parch Stratogy Workshoot	
	Problem Analysis and S	earch Strategy Worksheet	
Case Number 09/99	7(0('/	Filing Date	
Case Number-	(WC	Filing Date- Assignee	
rippiioainio			A SAME AND
			<b>v</b>
Related US and foreign applicati	ions/docs	Publications applicant cited	
US Classes and subclasses		International classification	
Toleston intent	<u> </u>		
toystor intent	Ø		
/ Company 4 A	Concert B	Concent C	Concept D
Concept A	Concept B	Concept C	CA CA
Borney &	And the state of t	Lying (and any)	AMO GOLD & Card From on Fe
motion manifolders	of stuling departing	N grandy	( Card ERON & FR
(1)	(d) (Wishing)	O) Coloring	
Par	( work)	Tax or	
Synonyms	Synonyms	Synonyms	Synonyms
	$\wedge$	^ /	
<	OR C	OR C	OR >
	Y	Y	Y
Databases			1
		•	
		÷	
C mmands, syntax, search stat	ements for each database		
		•	
1			
1			

WEST Search History

DATE: Friday, July 18, 2003

Set Name side by side	Query	Hit Count	Set Name result set
•	PT,PGPB,JPAB,EPAB; THES=ASSIGNEE; PLUR=YES; OP=ADJ	I	
L21	L20 and L19	53	L21
L20	CO.u/c. or carbon monoxide	2737449	L20
L19	L18 and L17	101	L19
L18	L15 and L16	127	L18
L17	iron or fe or ferric or ferrous	513144	L17
L16	gold or au or auric or aurous	4086416	L16
L15	L14 and L12	785	L15
L14	L13 and L11	72415	L14
L13	L9 and L10	126728	L13
L12	L7 and L8	7831	L12
L11	L5 and L6	351328	L11
L10	L3 and L4	747865	L10
L9	L1 and L2	411695	L9
L8	calcin\$6	63594	L8
L7.	grind\$4	170827	L7
L6	dry\$3 or dries or dried	956323	L6
L5	washing or wash or washes or washed	550266	L5
L4	separat\$4	2498878	L4 -
L3	combin\$4	1210623	L3
L2	prepar\$6 or made by or making or manufactur\$4 or produc\$4	5103365	L2
L1	catalyst or initiator	469364	L1

END OF SEARCH HISTORY